IEEE *Xplore*®
RELEASE 2.3

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((link length<in>metadata) <and> (queue<in>metadata))"   ☑ e-mail
Your search matched **3** of **1557368** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((link length<in>metadata) <and> (queue<in>metadata)) | Search |

□ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

| view selected items | Select All Deselect All

□   1. **Cell rate update algorithm for ABR traffic control in ERICA switch scheme**
Ilyoung Chong; Sang Hong Lee;
Communication Technology Proceedings, 1998. ICCT '98. 1998 International (
22-24 Oct. 1998 Page(s):434 - 440 vol.1
Digital Object Identifier 10.1109/ICCT.1998.743282

AbstractPlus | Full Text: PDF(304 KB)   IEEE CNF
Rights and Permissions

□   2. **Dynamic behavior of shortest path routing algorithms for communication**
Bertsekas, D.;
Automatic Control, IEEE Transactions on
Volume 27, Issue 1, Feb 1982 Page(s):60 - 74

AbstractPlus | Full Text: PDF(1424 KB)   IEEE JNL
Rights and Permissions

□   3. **A New Switch Chip for IBM RS/6000 SP Systems**
Stunkel, C.B.; Herring, J.; Abali, B.; Sivaram, R.;
Supercomputing, ACM/IEEE 1999 Conference
13-18 Nov. 1999 Page(s):16 - 16
Digital Object Identifier 10.1109/SC.1999.10057

AbstractPlus | Full Text: PDF(184 KB)   IEEE CNF
Rights and Permissions

Indexed by
🔲 Inspec°

IEEE Xplore®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((link length<in>metadata) <and> (buffer<in>metadata))"   ☑e-mail
Your search matched **2** of **1557368** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((link length<in>metadata) <and> (buffer<in>metadata))   **Search**

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

view selected items   Select All Deselect All

☐ 1. **Cell rate update algorithm for ABR traffic control in ERICA switch scheme**
Ilyoung Chong; Sang Hong Lee;
Communication Technology Proceedings, 1998. ICCT '98. 1998 International (
22-24 Oct. 1998 Page(s):434 - 440 vol.1
Digital Object Identifier 10.1109/ICCT.1998.743282

AbstractPlus | Full Text: PDF(304 KB)   **IEEE CNF**
Rights and Permissions

☐ 2. **A New Switch Chip for IBM RS/6000 SP Systems**
Stunkel, C.B.; Herring, J.; Abali, B.; Sivaram, R.;
Supercomputing, ACM/IEEE 1999 Conference
13-18 Nov. 1999 Page(s):16 - 16
Digital Object Identifier 10.1109/SC.1999.10057

AbstractPlus | Full Text: PDF(184 KB)   **IEEE CNF**
Rights and Permissions

Help   Contact Us   Privacy & :

Indexed by
Inspec®

Results 1 - 9 of about 19 for **"link length"** (About this page)
"queue" "bandwidth usage"

SPONSOR RESULTS

Options   Go to...   Help

"link
length" "queue" "bandwidth
usage"

"link len... "qu... "ba... usage'

Bandwidth Monitoring Tool - Free Trial
www.netflowanalyzer.com
- One of the top bandwidth users, applications and protocols,...

Manage Your Bandwidth

Refine Search

Tell a Friend   Feedback   Set as Homepage

marketing.proceranetworks.com
- Maximizes utilization of **bandwidth**. Quality assurance in performance.

Design of a scalable hybrid multicast packet switch with optical fabric ... (PDF)
Filling (PFF) algorithm is proposed to improve the **bandwidth** ...
extended **link length** beyond copper capabilities [3] ... the **queue** until all its ...
www.cs.ust.hk/~lixin/publication/ICC04.pdf

Troubleshooting
Transmit **Bandwidth Usage** ... discarded due to lack of space on an output **queue**. ... The LRE **link length** and quality are close to the limit of operation. ...
cisco.com/univercd/.../doc/
product/lan/c2900xl/29_35wc5/scg/swtrbl.htm

Results 1 - 2 of about 3 for **"determine link length"**   (<u>About this page</u>)
"bandwidth"

_____

Options   Go to...   Help

"determine link
length" "bandwidth"

Refine Search

Tell a   Feedback   Set as
Friend   Homepage

Fiber Selection Guide for Premises Networks (PDF)
Although fiber **bandwidth** is a critical factor in ... A simplified model can
determine link length. from fiber **bandwidth** and protocol speed. ...
www.fcaglp.unlp.edu.ar/~esuarez/hardware/wp1160_5-98.pdf

grouper.ieee.org/groups/802/3/z/public/presentations/july1996
... my presentation in Wakefield on fiber **bandwidth** requirements. ...
noted over the assumptions used to **determine link length** - A strong
desire to support the ...
grouper.ieee.org/groups/.../public/presentations/july1996/SSfibbnd.txt
Sfibbnd.txt

Results Page

_____

Results 1 - 9 of about 19 for **"link length"** **"queue" "bandwidth usage"** (About this page)

Options   Go to...   Help

"link
length" "queue" "bandwidth
usage"

"link len... "qu... "ba... usage'

Refine Search

Tell a Friend

Feedback

Set as Homepage

marketing.proceranetworks.com
- Maximizes utilization of **bandwidth**. Quality assurance in performance.

Design of a scalable hybrid multicast packet switch with optical fabric ... (PDF)
Filling (PFF) algorithm is proposed to improve the **bandwidth** ... extended **link length** beyond copper capabilities [3] ... the **queue** until all its ...
www.cs.ust.hk/~lixin/publication/ICC04.pdf

Troubleshooting
Transmit **Bandwidth Usage** ... discarded due to lack of space on an output **queue**. ... The LRE **link length** and quality are close to the limit of operation. ...
cisco.com/univercd/.../doc/
product/lan/c2900xl/29_35wc5/scg/swtrbl.htm